

Sustainable Public Procurement-fiche: basic

1) Subject matter

Mattresses produced with environmental friendly materials and processes.

“For <.....> (name of the public authority), the care for the environment and social aspects is important. It is stated in her <strategic policies>, <mission>, <vision>, <procurement policy>, ...”

2) Exclusion criteria

Non compliance with environmental and social legislation, which has been the subject of a final judgment or a decision having equivalent effect, may be considered an offence concerning the professional conduct of the economic operator concerned or grave misconduct, permitting to exclude the party concerned from competing for the contract

Ref:

Art. 53 and 54 of Directive 2004/17/EC and Art. 45 of Directive 2004/18/EC

3) Technical capacity(not exclusive)

/

4) Technical specifications

For the basic version of this product group there are no technical specifications. For criteria concerning technical specifications, see the medium or the advanced version.

Evidence:

The compliance with all the criteria mentioned above can be proved with one of the following labels:





Eu Ecolabel



Blaue Engel

In case that the tendering company can present one of these labels, any further proof is not necessary. Any other suitable evidence from a recognized body can also be used.

5) Awarding the contract:

	<i>Criterion</i>	<i>Weight</i>
1	Price <i>Calculation (e.g.):</i> Lowest offered price/ stated price x 0,70	e.g. 70%
2	Environmental criteria (The public authority formulates the points it wants to assign to the below mentioned criteria) <i>Calculation (e.g.):</i> Total scored points / maximum number of points x 0,20	e.g. 20%
3	...	e.g. 5 %
4	...	e.g. ...

Environmental criteria

Wood

- Solid wood, laminated wood, wood slats, veneer and the wood used for the production of plywood comes from sustainable forestry. When the wood is certified as FSC, PEFC or any other equivalent certification system, this will be accepted as proof of compliance.

Textile



Chemical requirements for all textile

- The amount of Cadmium (Cd), Chromium (Cr), Nickel (Ni), Lead (Pb), Copper (Cu) in the product does not exceed:
 - o Cadmium (Cd): 0.1 ppm
 - o Chromium (Cr): 2.0 ppm
 - o Nickel (Ni): 4.0 ppm
 - o Lead (Pb): 1.0 ppm
 - o Copper (Cu): 50.0 ppm.

For textile made of natural fibers

- No mothproofing agents are used for the protection of cover fabrics and the underlying upholstery.

For latex foam and polyurethane (PUR) foam (and coconut fibers who are rubber-coated)

- Azo dyes that may cleave to any one of the following aromatic amines are not used:
 - o 4-aminodiphenyl (92-67-1)
 - o Benzidine (92-87-5)
 - o 4-chloro-o-toluidine (95-69-2)
 - o 2-naphthylamine (91-59-8)
 - o o-amino-azotoluene (97-56-3)
 - o 2-amino-4-nitrotoluene (99-55-8)
 - o p-chloroaniline (106-47-8)
 - o 2,4-diaminoanisole (615-05-4)
 - o 4,4'-diaminodiphenylmethane (101-77-9)
 - o 3,3'-dichlorobenzidine (91-94-1)
 - o 3,3'-dimethoxybenzidine (119-90-4)
 - o 3,3'-dimethylbenzidine (119-93-7)
 - o 3,3'-dimethyl-4,4'-diaminodiphenylmethane (838-88-0)
 - o p-cresidine (120-71-8)
 - o 4,4'-methylene-bis-(2-chloroaniline) (101-14-4)
 - o 4,4'-oxydianiline (101-80-4)
 - o 4,4'-thiodianiline (139-65-1)
 - o o-toluidine (95-53-4)
 - o 2,4-diaminotoluene (95-80-7)



- 2,4,5-trimethylaniline (137-17-7)
- 4-aminoazobenzene (60-09-3)
- o-anisidine (90-04-0)
- The following dyes (that are carcinogenic, mutagenic or toxic to reproduction) are not used:
 - C.I. Basic Red 9
 - C.I. Disperse Blue 1
 - C.I. Acid Red 26
 - C.I. Basic Violet 14
 - C.I. Disperse Orange 11
 - C. I. Direct Black 38
 - C. I. Direct Blue 6
 - C. I. Direct Red 28
 - C. I. Disperse Yellow 3
- The following dyes are only used if the fastness to perspiration (acid and alkaline) of the dyed fibres, yarn or fabric is at least 4:
 - C.I. Disperse Blue 3 C.I. 61 505
 - C.I. Disperse Blue 7 C.I. 62 500
 - C.I. Disperse Blue 26 C.I. 63 305
 - C.I. Disperse Blue 35
 - C.I. Disperse Blue 102
 - C.I. Disperse Blue 106
 - C.I. Disperse Blue 124
 - C.I. Disperse Orange 1 C.I. 11 080
 - C.I. Disperse Orange 3 C.I. 11 005
 - C.I. Disperse Orange 37
 - C.I. Disperse Orange 76 (previously designated Orange 37)
 - C.I. Disperse Red 1 C.I. 11 110
 - C.I. Disperse Red 11 C.I. 62 015
 - C.I. Disperse Red 17 C.I. 11 210
 - C.I. Disperse Yellow 1 C.I. 10 345
 - C.I. Disperse Yellow 9 C.I. 10 375
 - C.I. Disperse Yellow 39
 - C.I. Disperse Yellow 49

6) Performance clauses:

/





References

[Information of the public authority that used these clauses in a procurement case]



Annex R-PHRASES:

(R-phrases are mentioned on product labels and in product safety datasheets. It can be a useful tool for verification-procedures.)

<u>R1:</u>	Explosive when dry.
<u>R2:</u>	Risk of explosion by shock, friction, fire or other sources of ignition.
<u>R3:</u>	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
<u>R4:</u>	Forms very sensitive explosive metallic compounds.
<u>R5:</u>	Heating may cause an explosion.
<u>R6:</u>	Explosive with or without contact with air.
<u>R7:</u>	May cause fire.
<u>R8:</u>	Contact with combustible material may cause fire.
<u>R9:</u>	Explosive when mixed with combustible material.
<u>R10:</u>	Flammable
<u>R11:</u>	Highly flammable
<u>R12:</u>	Extremely flammable
<i>R13 (obsolet):</i>	<i>Extremely flammable liquid gas (This R-phrase is no longer designated by the version of the GefStoffV published on 26.10.93.)</i>
<u>R14:</u>	Reacts violently with water.
<u>R15:</u>	Contact with water liberates extremely flammable gases.
<i>Merck R15.1</i>	<i>Contact with acid liberates extremely flammable gases.</i>
<u>R16:</u>	Explosive when mixed with oxidizing substances.
<u>R17:</u>	Spontaneously flammable in air.
<u>R18:</u>	In use, may form flammable/explosive vapour-air mixture.
<u>R19:</u>	May form explosive peroxides.
<u>R20:</u>	Harmful by inhalation.
<u>R21:</u>	Harmful in contact with skin.
<u>R22:</u>	Harmful if swallowed.
<u>R23:</u>	Toxic by inhalation.
<i>Riedel-de Haen R23K:</i>	<i>Also toxic by inhalation.</i>
<u>R24:</u>	Toxic in contact with skin.
<i>Riedel-de Haen R24K:</i>	<i>Also toxic in contact with skin.</i>
<u>R25:</u>	Toxic if swallowed.
<i>Riedel-de Haen R25K:</i>	<i>Also toxic if swallowed.</i>
<u>R26:</u>	Very toxic by inhalation.
<i>Riedel-de Haen R26K:</i>	<i>Also very toxic by inhalation.</i>
<u>R27:</u>	Very toxic in contact with skin
<i>Riedel-de Haen R27A:</i>	<i>Very toxic in contact with eyes.</i>
<i>Riedel-de Haen R27K:</i>	<i>Also very toxic in contact with skin.</i>
<i>Riedel-de Haen R27AK:</i>	<i>Also very toxic in contact with eyes.</i>



<u>R28:</u>	Very toxic if swallowed.
<i>Riedel-de Haen R28K:</i>	<i>Also very toxic if swallowed.</i>
<u>R29:</u>	Contact with water liberates toxic gas.
<u>R30:</u>	Can become highly flammable in use.
<u>R31:</u>	Contact with acids liberates toxic gas.
<i>Merck R31.1</i>	<i>Contact with alkalis liberates toxic gas.</i>
<u>R32:</u>	Contact with acids liberates very toxic gas.
<u>R33:</u>	Danger of cumulative effects.
<u>R34:</u>	Causes burns.
<u>R35:</u>	Causes severe burns.
<u>R36:</u>	Irritating to eyes.
<i>Riedel-de Haen R36A:</i>	<i>Lacrimating</i>
<u>R37:</u>	Irritating to respiratory system.
<u>R38:</u>	Irritating to skin.
<u>R39:</u>	Danger of very serious irreversible effects.
<u>R40:</u>	Possible risk of cancer. <i>CAUTION: Until 2001 this R-phrase was used for possible mutagenic or teratogenic risks as well. These risks are now labelled with R68!</i>
<u>R41:</u>	Risk of serious damage to eyes.
<u>R42:</u>	May cause sensitization by inhalation.
<u>R43:</u>	May cause sensitization by skin contact.
<u>R44:</u>	Risk of explosion if heated under confinement.
<u>R45:</u>	May cause cancer.
<u>R46:</u>	May cause heritable genetic damage.
<i>R47(obsolet):</i>	<i>May cause deformities. (This R-phrase is no longer designated by the version of the GefStoffV published on 26.10.93.)</i>
<u>R48:</u>	Danger of serious damage to health by prolonged exposure.
<u>R49:</u>	May cause cancer by inhalation.
<u>R50:</u>	Very toxic to aquatic organisms.
<u>R51:</u>	Toxic to aquatic organisms.
<u>R52:</u>	Harmful to aquatic organisms.
<u>R53:</u>	May cause long-term adverse effects in the aquatic environment.
<u>R54:</u>	Toxic to flora.
<u>R55:</u>	Toxic to fauna.
<u>R56:</u>	Toxic to soil organisms.
<u>R57:</u>	Toxic to bees.
<u>R58:</u>	May cause long-term adverse effects in the environment.
<u>R59:</u>	Dangerous for the ozone layer.
<u>R60:</u>	May impair fertility.
<u>R61:</u>	May cause harm to the unborn child.
<u>R62:</u>	Possible risk of impaired fertility.
<u>R63:</u>	Possible risk of harm to the unborn child.
<u>R64:</u>	May cause harm to breastfed babies.
<u>R65:</u>	Harmful: may cause lung damage if swallowed.
<u>R66:</u>	Repeated exposure may cause skin dryness or cracking.
<u>R67:</u>	Vapours may cause drowsiness and dizziness.
<u>R68:</u>	Possible risks of irreversible effects.

COMBINATIONS OF R-PHRASES:

R14/15:	Reacts violently with water, liberating extremely flammable gases.
R15/29:	Contact with water liberates toxic, extremely flammable gas.



- R20/21: Harmful by inhalation and in contact with skin.
R21/22: Harmful in contact with skin and if swallowed.
R20/22: Harmful by inhalation and if swallowed.
R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
R21/22: Harmful in contact with skin and if swallowed.
R23/24: Toxic by inhalation and in contact with skin.
R24/25: Toxic in contact with skin and if swallowed.
R23/25: Toxic by inhalation and if swallowed.
R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.
R24/25: Toxic in contact with skin and if swallowed.
R26/27: Very toxic by inhalation and in contact with skin.
R27/28: Very toxic in contact with skin and if swallowed.
R26/28: Very toxic by inhalation and if swallowed.
R26/27/28: Very toxic by inhalation, in contact with skin and if swallowed.
R36/37: Irritating to eyes and respiratory system.
R37/38: Irritating to respiratory system and skin.
R36/38: Irritating to eyes and skin.
R36/37/38: Irritating to eyes, respiratory system and skin.
R39/23: Toxic: danger of very serious irreversible effects through inhalation.
R39/24: Toxic: danger of very serious irreversible effects in contact with skin.
R39/25: Toxic: danger of very serious irreversible effects if swallowed.
R39/23/24: Toxic: danger of very serious irreversible effects through inhalation and in contact with skin.
R39/23/25: Toxic: danger of very serious irreversible effects through inhalation and if swallowed.
R39/24/25: Toxic: danger of very serious irreversible effects in contact with skin and if swallowed.
R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
R39/26: Very toxic: danger of very serious irreversible effects through inhalation.
R39/27: Very toxic: danger of very serious irreversible effects in contact with skin.
R39/28: Very toxic: danger of very serious irreversible effects if swallowed.
R39/26/27: Very toxic: danger of very serious irreversible effects through inhalation and in contact with skin.
R39/26/28: Very toxic: danger of very serious irreversible effects through inhalation and if swallowed.
R39/27/28: Very toxic: danger of very serious irreversible effects in contact with skin and if swallowed.
R39/26/27/28: Very toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
R42/43: May cause sensitization by inhalation and skin contact.
R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R48/21: Harmful: danger of serious damage to health by prolonged exposure in contact with skin.
R48/22: Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R48/20/21: Harmful: danger of serious damage to health by prolonged exposure through inhalation and in contact with skin.
R48/20/22: Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R48/21/22: Harmful: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
R48/20/21/22: Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
R48/23: Toxic: danger of serious damage to health by prolonged exposure through inhalation.
R48/24: Toxic: danger of serious damage to health by prolonged exposure in contact with skin.
R48/25: Toxic: danger of serious damage to health by prolonged exposure if swallowed.
R48/23/24: Toxic: danger of serious damage to health by prolonged exposure through inhalation and in contact with skin.
R48/23/25: Toxic: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R48/24/25: Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
R48/23/24/25: Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



- R68/20: Harmful: possible risk of irreversible effects through inhalation.
- R68/21: Harmful: possible risk of irreversible effects in contact with skin.
- R68/22: Harmful: possible risk of irreversible effects if swallowed.
- R68/20/21: Harmful: possible risk of irreversible effects through inhalation and in contact with skin.
- R68/20/22: Harmful: possible risk of irreversible effects through inhalation and if swallowed.
- R68/21/22: Harmful: possible risk of irreversible effects in contact with skin and if swallowed.
- R68/20/21/22: Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

